



| Historic F-1 |     | NEW FOR 2024 | R160 | Rim  | Dia  | Sec | T.W. | WT |
|--------------|-----|--------------|------|------|------|-----|------|----|
| 10.0/20.0-13 | 579 |              | 2963 | 10.5 | 20.0 |     |      |    |
| 23.0/10.5-13 | 680 |              | 2973 | 10.5 | 23.5 |     |      |    |
| 26.0/15.0-13 | 805 |              | 2977 | 18.0 | 25.8 |     |      |    |

Am - INDY Car Bias Ply

| Size         | Price | Slicks      | R250 | Rim | Dia  | Sec  | T.W. | WT   |
|--------------|-------|-------------|------|-----|------|------|------|------|
| 23.0/10.5-15 | 525   | Can Am INDY | 2225 | 10  | 23.4 | 11.8 | 10.4 | 16.9 |
| 27.0/14.0-15 | 585   | Can Am INDY | 2226 | 17  | 27   | 18.5 | 14.8 | 25.3 |

Goodyear Vintage Blue Streaks - Bias Ply

| Size    | Price | Tread Type | R645 | FIRM | Rim | Dia  | Sec  | T.W. | WT   |
|---------|-------|------------|------|------|-----|------|------|------|------|
| 5.50-15 | TBA   | G-12       |      |      | 6   | 25.5 | 7.63 | 6.6  | 15   |
| 5.00-15 | 419   | G12A       | 1664 |      | 5   | 24.5 | 7.63 | 5.63 | 17   |
| 6.00-15 | 324   | G7         | 2724 | 1725 | 8   | 25.5 | 10.6 | 8.4  | 17   |
| 6.00W15 | 326   | G7M        | 2726 |      | 10  | 25.5 | 11.6 | 9.4  | 19.3 |
| 7.00-15 | 328   | G7         | 2728 |      | 9   | 26.8 | 12.0 | 8.7  | 18.7 |
| 8.00-15 | 331   | G7         | 2729 |      | 10  | 26.8 | 13.1 | 10.1 | 19.7 |

Goodyear Billboards for Cobras Bias Ply

| Size         | Price | Tread Type | R655 | Rim | Dia  | Sec  | T.W. | WT   |
|--------------|-------|------------|------|-----|------|------|------|------|
| 26.5/8.0-15  | 395   | G15M       | 2546 | 8   | 26.5 | 11   | 7.9  | 17.8 |
| 26.5-10.0-15 | 400   | G15M       | 2547 | 10  | 27   | 12.9 | 10.2 | 22.3 |

Historic W.Cup

| Size         | Price | Slicks               | RAIN | MED  | MED + | HARD | Rim | Dia | Sec  | T.W. | WT   |      |
|--------------|-------|----------------------|------|------|-------|------|-----|-----|------|------|------|------|
| 27.0/11.0-15 | 315   | HIST W.CUP           |      |      |       | 1439 | WL  | 10  | 27.2 | 13.5 | 11.5 | 25.0 |
| 27.0/11.0-15 | 320   | HIST W.CUP           |      |      |       | 3063 | YL  | 10  | 27.2 | 13.5 | 11.5 | 25.0 |
| 28.0X10.0-15 | 320   | LANDSPEED            |      |      |       |      |     | 10  | 28   | 13.8 | 10.0 |      |
| 27.0/10.0-15 | 188   | ASC                  |      | 2560 |       |      |     | 10  | 27.6 | 13.2 | 10.0 | 23.5 |
| 27.5/12.0R15 | CALL  | Road Race Radial wet | 4215 |      |       |      |     | 10  | 27.8 | 13.9 | 12.5 |      |
| 27.5/12.0R15 | 386   | Road Race Radial     |      | 4824 |       |      |     | 10  | 27.8 | 13.9 | 12.5 |      |
| 27.5/12.0R15 | 378   | Road Race Radial     |      | 4409 |       |      |     | 10  | 27.8 | 13.9 | 12.5 |      |

FORMULA ATLANTIC Bias Ply

| Size         | Price | Slicks | R110 | R160 | Rim | Dia  | Sec  | T.W. | WT  |
|--------------|-------|--------|------|------|-----|------|------|------|-----|
| 20.0/9.5-13  | 331   | G-19   | 2468 |      | 10  | 20.3 | 10.9 | 9.1  | 9.5 |
| 23.0/13.0-13 | 412   | G-19   | 2469 |      | 14  | 23.0 | 16.1 | 12.3 | 20  |
| 20.0/9.5-13  | 337   | G-19   | 2640 |      | 10  | 20.3 | 10.9 | 9.1  | 9.5 |
| 23.0/13.0-13 | 419   | G-19   | 2453 |      | 14  | 23.0 | 16.1 | 12.3 | 20  |

GT-1, GT-2 Bias Ply Slicks

| Size         | Price | Slicks | R430 | R600 | Rim | Dia  | Sec  | T.W. | WT   |
|--------------|-------|--------|------|------|-----|------|------|------|------|
| 23.5/10.5-16 | 544   | GT2    | 1651 | 1512 | 11  | 23.3 | 11.8 | 10.1 | 18   |
| 25.0/13.0-16 | 570   | GT1    | 1570 | 1510 | 12  | 24.5 | 13.7 | 12.4 | 22.5 |
| 27.0/14.0-16 | 607   | GT1    | 1571 | 1511 | 14  | 26.6 | 15.9 | 13.7 | 26.5 |

Radial Slicks Group C, LMP, DP

| Size: Group C | Price | Slicks     | R245 | R310 | Rim  | Dia  | Sec  | T.W. | WT   |
|---------------|-------|------------|------|------|------|------|------|------|------|
| 25.5/12.0R18  | Call  | DP/LMP2    |      | 4535 | 13.0 | 25.6 | 13.5 | 12.3 | 23.5 |
| 28.0/12.5R18  | Call  | DP/LMP2    |      | 4570 | 13.0 | 28.0 | 13.5 | 12.3 | 24.0 |
| 25.5/12.5R18  | 667   | LMP1 GRP C | 4971 | 4575 | 13.5 | 25.6 | 14.3 | 12.8 | 24.0 |
| 28.5/14.5R18  | 687   | LMP1 GRP C | 4972 | 4536 | 14.5 | 28.5 | 15.9 | 14.8 | 30.0 |

Radial Wets Group C

|              |     |           |      |  |      |      |      |      |      |
|--------------|-----|-----------|------|--|------|------|------|------|------|
| 25.5/12.5R18 | 729 | F1 Carved | 4975 |  | 13.5 | 25.6 | 14.3 | 12.8 | 24.0 |
| 28.5/14.5R18 | 770 | F1 Carved | 4936 |  | 14.5 | 28.5 | 15.9 | 14.8 | 30.0 |

TRANS AM Radials

| Size         | Price | Slicks | R245 | R430 | Rim  | Dia  | Sec  | T.W. | WT   |
|--------------|-------|--------|------|------|------|------|------|------|------|
| 25.5/14.0R16 | 655   | GT1    | 4825 |      | 12.0 | 25.5 | 14.1 | 14.0 | 25.0 |
| 28.5/14.5R16 | 695   | GT1    | 4826 | R430 | 13.0 | 28.5 | 15.4 | 14.8 | 28.5 |
| 25.5/14.0R16 | 638   | GT1    |      | 4533 | 12.0 | 25.5 | 14.1 | 14.0 | 25.0 |
| 28.5/14.5R16 | 686   | GT1    |      | 4534 | 13.0 | 28.5 | 15.4 | 14.8 | 28.5 |

TRANS AM WETS

| Size         | Price | Slicks         | WET  | Rim  | Dia  | Sec  | T.W. | WT   |
|--------------|-------|----------------|------|------|------|------|------|------|
| 25.5/12.0R16 | 580   | G18            | 4485 |      |      |      |      |      |
| 25.5/14.0R16 | 707   | GT1-WET F1 Cut | 6672 | 12.0 | 25.5 | 15.0 | 13.9 | 26.0 |
| 28.5/14.5R16 | 753   | GT1-WET F1 Cut | 6673 | 13.0 | 28.5 | 15.9 | 14.8 | 24.0 |



Roger Kraus Racing Ent, Inc.

PG-2

2896 Grove Way, Castro Valley, Calif 94546

ph 1-510-582-5031 - 1-800-510-7223

02/24

**CLUB RACING Radials**

| Size         | Price | Slicks      | R160 | R210 | Rim  | Dia  | Sec  | T.W. | WT   |
|--------------|-------|-------------|------|------|------|------|------|------|------|
| 23.5/10.5R16 | 529   | CLUB - IMSA | 4482 | 4483 | 11.0 | 23.8 | 11.9 | 10.2 | 18.0 |
| 25.5/12.0R16 | 595   | CLUB - IMSA |      | 4480 | 13.0 | 25.6 | 13.5 | 12.3 | 23.5 |
| 25.5/14.0R16 | 621   | CLUB - IMSA |      | 4481 | 12.0 | 25.5 | 14.1 | 14.0 | 25.0 |

**Club Racing Wets**

| Size         | Price | Slicks    | R065 | Rim  | Dia  | Sec  | T.W. | WT |
|--------------|-------|-----------|------|------|------|------|------|----|
| 23.5/10.5R16 | 580   | F1 Carved | 4484 | 11.0 | 23.8 | 11.9 | 10.2 |    |
| 25.5/12.0R16 | 595   | G18       | 4485 | 13.0 | 25.6 | 13.5 | 12.3 |    |

**DOT Sports Car Eagle RS**

| Size       | Price | Slicks | R645 | Rim | Dia  | Sec | T.W. | WT   |
|------------|-------|--------|------|-----|------|-----|------|------|
| P205/50R15 | 199   | Miata  | 4850 | 7.0 | 23.1 | 8.8 | 8.0  | 18.5 |

02/24

Prices Subject to Change without Notice.

**MODERN ERA RADIAL SLICKS MADE IN GERMANY - WERE DUNLOP RACE TIRES NOW GOODYEAR!**

| Size       | Price | Slicks         | WET  | SOFT | MED- | MED  | HARD | Rim  | Dia  | Sec   | T.W. |
|------------|-------|----------------|------|------|------|------|------|------|------|-------|------|
| 200/580R15 | 450   | Radical        |      |      |      | 6051 | M+   | 12.0 | 27.0 | 13.1  | 11.4 |
| 265/605R16 | 498   | Radical        |      |      |      | 6054 | M+   |      |      |       |      |
| 305/660R18 | 741   | LMPC-DP Sprint |      |      | 6067 |      |      | 12.5 | 25.8 | 13.1  | 11.4 |
| 310/710R18 | 747   | LMPC-DP Sprint |      |      | 6065 |      |      | 13.0 | 27.8 | 13.9  | 12.1 |
| 200/580R15 | 463   | Radical Wet    | 6053 |      |      |      |      | 7.0  | 23.0 | 8.5   | 7.7  |
| 265/605R16 | 515   | Radical Wet    | 6056 |      |      |      |      | 9.0  | 23.9 | 10.83 | 10.3 |
| 305/660R18 | 765   | WET LMPC/DP    | 6059 |      |      |      |      | 12.5 | 25.8 | 13.1  | 11.4 |
| 310/710R18 | 772   | WET LMPC/DP    | 6060 |      |      |      |      | 13.0 | 27.8 | 13.9  | 12.1 |

**Sports Car G19 Bias Ply**

| Size        | Price | Slicks | R250 | R430 | R465 | Rim | Dia  | Sec  | T.W. | WT   |
|-------------|-------|--------|------|------|------|-----|------|------|------|------|
| 20.0/8.0-13 | 317   | SCCA   | 2138 | 2140 |      | 6.0 | 20.1 | 9.1  | 8.0  | 13.0 |
| 20.0/9.5-13 | 323   | SCCA   |      | 2162 |      | 7.0 | 19.9 | 10.2 | 9.2  | 14.2 |
| 23.0/9.0-15 | 382   | SCCA   |      | 2185 | 2189 | 7.0 | 23.0 | 10.4 | 9.3  | 18.0 |

**Sports Car G19 Radial**

| Size        | Price | Slicks | R410 | Rim        | Dia | Sec  | T.W. | WT  |      |
|-------------|-------|--------|------|------------|-----|------|------|-----|------|
| 23.0/9.5R15 | 436   | SCCA   | 4285 | 28-32# Hot | 7.0 | 23.1 | 9.9  | 9.3 | 18.5 |

**Formula**

**Sports Car G19 Bias Ply**

| Size        | Price | Slicks | R110 | R160 | R255 | R470 | Rim  | Dia  | Sec  | T.W. | WT |
|-------------|-------|--------|------|------|------|------|------|------|------|------|----|
| 20.0/7.0-13 | 310   | G-19   |      |      |      | 2659 | 6-8  | 20.5 | 8.7  | 7.2  | 10 |
| 22.0/9.0-13 | 351   | G-19   |      |      |      | 2660 | 8-10 | 22.4 | 11.3 | 9.2  | 14 |
| 20.0/7.0-13 | 321   | G-19   |      |      | 2756 |      | 6-8  | 20.5 | 8.7  | 7.2  | 10 |
| 22.0/9.0-13 | 365   | G-19   |      |      | 2757 |      | 8-10 | 22.4 | 11.3 | 9.2  | 14 |

**Formula Mazda Radials**

| Size         | Price | Slicks     | R065 | R160 | R255G | R465 | Rim  | Dia  | Sec  | T.W. | WT   |
|--------------|-------|------------|------|------|-------|------|------|------|------|------|------|
| 21.5/8.0R13  | 447   | FM P1      |      | 4572 | 4582  | 4540 | 9.0  | 21.6 | 9.8  | 8.2  | 13.1 |
| 22.5/11.0R13 | 473   | FM P1      |      | 4573 | 4583  | 4541 | 11.0 | 22.6 | 12.2 | 10.6 | 16.5 |
| 21.5/8.0R13  | 469   | F1- FM WET | 4544 |      |       |      | 9.0  | 21.6 | 9.8  | 8.2  | 13.1 |
| 22.5/11.0R13 | 491   | F1-FM WET  | 4545 |      |       |      | 11.0 | 22.6 | 12.2 | 10.6 | 16.5 |

**SCCA Rain Tires Bias Ply**

| Size        | Price | Slicks       | G18  | F1   | Rim | Dia  | Sec  | T.W. | WT   |
|-------------|-------|--------------|------|------|-----|------|------|------|------|
| 20.0/6.5-13 | 313   | FC, S2, FM   | R065 | R085 | 6   | 21.0 | 7.7  | 6.2  | 10.5 |
| 22.0/9.0-13 | 367   | FC, S2, FM   | 2661 |      | 9   | 22.4 | 11.1 | 8.8  | 13   |
| 20.5/7.5-13 | 313   | SCCA GT Cars |      | 1079 | 6-7 | 20.7 | 8.2  | 6.6  | 11.3 |
| 23.0/8.0-15 | 372   | SCCA GT Cars |      | 1275 | 6-7 | 22.7 | 8.3  | 8.3  | 14.9 |

**Formula SAE**

| Size        | Price | Slicks    | R065 | FSAE | Rim | Dia  | Sec | T.W. | WT  |
|-------------|-------|-----------|------|------|-----|------|-----|------|-----|
| 20.0/7.0-13 | 307   | F-SAE DRY |      | 2773 | 7.0 | 20.4 | 7.9 | 6.9  | 8.9 |
| 20.0/7.0-13 | 314   | F-SAE WET | 2703 |      | 7.0 | 20.4 | 7.9 | 6.9  | 8.8 |



02/24 Prices Subject to Change without Notice.

**Racing Radial Rain Tires. F1 and G18**

| Size         | Price |             | R065 | Rim  | Dia  | Sec  | T.W. | WT    |
|--------------|-------|-------------|------|------|------|------|------|-------|
| 23.5/10.5R16 | 575   | CLUB - IMSA | 4484 | 11.0 | 23.8 | 11.9 | 10.2 | 18    |
| 25.5/12.0R16 | 595   | CLUB - IMSA | 4485 | 13.0 | 25.6 | 13.5 | 12.3 | 23.5  |
| 25.5/14.0R16 | 702   | GT1-WET     | 6672 | 12.0 | 25.5 | 14.1 | 14.0 | 25.00 |
| 28.5/14.5R16 | 748   | GT1-WET     | 6673 | 13.0 | 28.5 | 15.9 | 14.8 | 24.0  |
| 25.5/12.5R18 | 724   | LMP1 GR C   | 4975 | 13.5 | 25.6 | 14.3 | 12.8 | 24.0  |
| 28.5/14.5R18 | 765   | LMP1 GR C   | 4936 | 14.5 | 28.5 | 15.9 | 14.8 | 30.0  |

**GOODYEAR DOT RADIALS**

**DRY**

| Size - Dry  | Price |               | RCMD | Rim  | Dia   | Sec  | T.W. | WT    |
|-------------|-------|---------------|------|------|-------|------|------|-------|
| P205/50ZR15 | 199   | Two - Grooves | 4850 | 6.5  | 23.1  | 8.8  | 8.1  | 18.7  |
| P225/45ZR15 | 329   | Two - Grooves | 4934 | 7.5  | 23    | 9.5  | 8.9  | 19.4  |
| P225/50ZR16 | 347   | Two - Grooves | 4854 | 7.0  | 24.5  | 9.6  | 8.9  | 21.2  |
| P245/45ZR16 | 385   | Two - Grooves | 4858 | 8.0  | 24.5  | 10.2 | 9.6  | 22.60 |
| P275/45ZR16 | 411   | Two - Grooves | 4898 | 9.0  | 25.5  | 11.0 | 10.8 | 23.7  |
| P225/40ZR17 | 376   | Two - Grooves | 5825 | 8.0  | 24    | 9.3  | 8.9  | 20.6  |
| P225/45ZR17 | 376   | Two - Grooves | 5919 | 7.5  | 24.9  | 9.3  | 8.9  | 20.9  |
| P245/40ZR17 | 382   | Two - Grooves | 5856 | 8.5  | 25    | 10.2 | 9.6  | 21.8  |
| P275/40ZR17 | 460   | Two - Grooves | 4896 | 9.5  | 25.6  | 11.5 | 10.8 | 24.5  |
| P245/35ZR18 | 479   | Two - Grooves | 5852 | 9.0  | 25.07 | 10.3 | 10   | 22.7  |
| P275/35ZR18 | 494   | Two - Grooves | 5846 | 9.5  | 25.6  | 11.3 | 10.8 | 24.1  |
| P295/35ZR18 | 504   | Two - Grooves | 4939 | 10.5 | 24.9  | 11.9 | 11.6 | 24.0  |
| P315/30ZR18 | 511   | Two - Grooves | 5900 | 11.0 | 25.6  | 12.6 | 12.4 | 26.2  |
| P335/30ZR18 | 540   | Two - Grooves | 5906 | 12.0 | 26.2  | 14.0 | 13.2 | 28.8  |

**GOODYEAR DOT RADIALS WETS**

**WET**

| Size - Wet  | Price |              | WCMD | Rim  | Dia  | Sec  | T.W. | WT   |
|-------------|-------|--------------|------|------|------|------|------|------|
| P205/50ZR15 | 210   | Gatrobac Wet | 4851 | 6.5  | 23.1 | 8.5  | 8.1  | 19.1 |
| P245/40ZR17 | 421   | Gatrobac Wet | 4857 | 8.5  | 24.6 | 9.9  | 9.6  | 21.7 |
| P275/35ZR18 | 545   | Gatrobac Wet | 4847 | 9.5  | 25.7 | 10.8 | 10.8 | 24.2 |
| P315/30ZR18 | 554   | Gatrobac Wet | 4901 | 11.0 | 25.7 | 12.4 | 12.4 | 27.3 |

02/24 Prices Subject to Change without Notice.