

# Goodyear Race Tires

Roger Kraus Racing Inc. 2896 Grove Way. Castro Valley, CA 94546

PHONE 510-582-5031 ORDER LINE 800-510 RACE

1/2/2019

**Sports Car G-19**  
**Bias Slicks**

SIZE	PRICE	SOFT TO HARDER >		R465	RIM	DIA	SEC	T.W.	WT	
		R250	R430							
20.0X 8.0-13	257.00	2138	2140		6.0	20.1	9.1	8.0	13.0	White Letter
20.0X 9.5-13	261.00		2162		7.0	19.9	10.2	9.2	14.2	White Letter
23.0X 9.0-15	309.00		2185	2189	7.0	23.0	10.4	9.3	18.0	White Letter

**Slicks**

**Bias Slicks**  
**GT/GT1/GT2**

GT/GT1/GT2	PRICE	SOFT TO HARDER >			RIM	DIA	SEC	T.W.	WT	
		R250								
23.0X10.5-15	438.00		2225		10.0	23.4	11.8	10.4	16.9	White Letter
27.0X14.0-15	489.00	CAN-AM	2226		17.0	27.0	18.5	14.8	25.3	White Letter
				Med Hard						
27.0X11.0-15	255.00	Hist W.C.		1439	10.0	27.2	13.5	11.5	25.0	White Letter
27.0X10.0-15	169.00	A.S.C.		2560	10.0	27.6	13.2	10.0	23.5	Yellow Letter
			R250 R430							
23.5X10.5-16	443.00	GT-2	1651		11.0	23.8	11.9	10.2	18.0	Yellow Letter
25.0X13.0-16	463.00	GT-1	1980	1570	12.0	24.5	13.7	12.4	22.5	Yellow Letter
27.0X14.0-16	492.00	GT-1	1981	1571	14.0	26.6	15.9	13.7	26.5	Yellow Letter

**Slicks**

**RADIAL SLICKS**

FORMULA	PRICE	TYPE	SOFT TO HARDER >				RIM	DIA	SEC	T.W.	WT	
			R210	R250	R310	R430						
<b>Group C</b>												
25.5X12.0R18	492.00	DP/LMPI			4535		13.0	25.6	13.5	12.3	23.5	Yellow Letter
25.5X12.5R18	527.00	DP/LMPI			4575		13.5	25.6	14.3	12.8	24.0	Yellow Letter
28.5X14.5R18	543.00	DP/LMPI			4536		14.5	28.5	15.9	14.8	27.0	Yellow Letter
<b>Trans Am</b>												
25.5X14.0R16	527.00	GT1	Dry	R085 R250	4364	R430	12.0	25.5	14.1	14.0	25.0	Yellow Letter
28.5X14.5R16	564.00	GT1	Dry		4365	4333	13.0	28.5	15.4	14.8	28.5	Yellow Letter
25.5X14.0R16	569.00	GT1	Wet		6672		14.0	25.5	15.0	13.9	26.0	Yellow Letter
28.5X14.5R16	607.00	GT1	Wet		6673		14.5	28.5	15.9	14.6	24.0	Yellow Letter

**Bias Slicks**

**FORMULA**

FORMULA	PRICE	TYPE	R255		R470 RIM	DIA	SEC	T.W.	WT		
20.0X7.0-13	246.00	FM, S2, F/C			2659	6-8	20.5	8.7	7.2	10.0	Yellow Letter
22.0X9.0-13	279.00	FM, S2, FC,FA			2660	8.0	22.4	10.4	8.7	14.0	Yellow Letter
20.0X7.0-13	251.00	FM, S2, F/C		2756		6-8	20.5	8.7	7.2	10.0	Yellow Letter
22.0X9.0-13	285.00	FM, S2, FC,FA		2757		8.0	22.4	10.4	8.7	14.0	Yellow Letter
20.0X8.0-13	150.00	FM/DSR/SV		2638		8.0	20.0	9.2	8.1	11.0	
20.0X9.5-13	263.00	F/ATL		2640		10.0	20.3	10.9	9.1	9.5	Yellow Letter
23.0X13.0-13	328.00	F/ATL		2453		14.0	23.0	16.1	12.3	20.0	Yellow Letter

**RADIAL PRO**

**Formula Mazda**

FORMULA	PRICE	TYPE	Wet		RIM	DIA	SEC	T.W.	WT	
			R065	R255G R465						
21.5X8.0R13	360.00	STAR FM	Dry	4582 4540	9.0	21.6		8.9	13.2	Yellow Letter
22.5X11.0R13	380.00	STAR FM	Dry	4583 4541	11.0	22.6		11.0	16.4	Yellow Letter
21.5X8.0R13	384.00	STAR FM	Wet	4286	9.0	21.6		8.0		Yellow Letter
22.5X11.0R13	402.00	STAR FM	Wet	4287	11.0	22.6		11.0		Yellow Letter

**BIAS PLY**

**FORMULA**

FORMULA	PRICE	R255 R470		
21.0/8.0-13	303.00	2767	2769	Yellow Letter
22.0/11.0-13	323.00	2768	2770	Yellow Letter

**RAIN TIRES**

**FORMULA**

FORMULA	PRICE	RAIN G-18	G18	F1	RIM	DIA	SEC	T.W.	WT	
			R065	R085						
20.0X6.5-13	253.00	FM-S2000-FC	2661		6.0	21.0	7.7	6.2	10.5	
22.0X9.0-13	297.00	FM-S2000-FC	2662		9.0	22.4	11.1	8.8	13.0	
<b>SCCA GT Cars</b>										
20.5/7.5-13	273.00	GT Cars		R085	6.0-7.0	20.7	8.2	6.6	11.3	
23.0/8.0-15	324.00	GT Cars		1079	6.0-7.0	22.7	10.0	8.3	14.9	
				1275						

**F-SAE Tires**

**FORMULA**

FORMULA	PRICE	SAE	DRY	Wet	RIM	DIA	SEC	T.W.	WT	
20.0/7.0-13	252.00	SAE	2704		6-8	20.5	8.7	7.2	?	
20.0/7.0-13	258.00	SAE		2703	6-8	20.5	8.7	7.2	?	

See Page 2

1/2/2019

# Goodyear Vintage Race Tires

<b>Blue Streak</b>		Tread	SOFT TO HARDER >				DIA	SW/ RIM	RIM	T.W.	W.T.			
<b>Vintage</b>		Type	R430	R600	R655	FIRM								
5.00-13	N/A	G-12A(K)			2187		23.1	7.9/6.0	4.5to7.5	5.3	12.0			
5.50-15	NA	G-12				3083	25.5	9.3/7.0	5.5to9.5	6.6	14.5			
5.50-15	NA	G-7			3328		22.8	7.5	5.5to9.5	6.4	12.0			
<b>5.00-15</b>	<b>329.00</b>	<b>G-12A</b>			<b>1664</b>		<b>24.5</b>	<b>7.8/5.5</b>	<b>4.0to7.5</b>	<b>5.3</b>	<b>14.5</b>	White Letter		
<b>6.00-15</b>	<b>339.00</b>	<b>G-7</b>	<b>3418</b>		<b>1724</b>	<b>1725</b>	<b>25.5</b>	<b>10.6/8.0</b>	<b>6.5to10.0</b>	<b>8.4</b>	<b>17.0</b>	White Letter		
<b>7.00-15</b>	<b>343.00</b>	<b>G-7</b>			<b>1756</b>	<b>1757</b>	<b>26.7</b>	<b>12/9.0</b>	<b>7.5to11.0</b>	<b>8.6</b>	<b>18.2</b>	White Letter		
<b>8.00-15</b>	<b>346.00</b>	<b>G-7</b>			<b>1758</b>		<b>26.8</b>	<b>13.2/10</b>	<b>9.0to11.5</b>	<b>10.3</b>	<b>19.0</b>	White Letter		
<b>Treaded Billboards</b>														
<b>Cobra</b>		<b>TREADED</b>												
<b>26.5x8.0-15</b>	<b>321.00</b>	<b>COBRA</b>			<b>2546</b>		<b>26.2</b>	<b>11.0/8.0</b>	<b>7.0to8.5</b>	<b>7.9</b>	<b>18.0</b>	White Letter		
<b>26.5x10.5-15</b>	<b>323.00</b>	<b>COBRA</b>			<b>2547</b>		<b>26.5</b>	<b>12.9/10.0</b>	<b>9.0to10.5</b>	<b>10.2</b>	<b>22.5</b>	White Letter		
<b>Can Am</b>		<b>SLICK</b>												
<b>23.0X10.5-15</b>	<b>438.00</b>	<b>CAN-AM</b>	<b>R-250</b>											
			<b>2225</b>											
<b>27.0X14.0-15</b>	<b>489.00</b>	<b>CAN-AM</b>	<b>2226</b>					10.0	23.4	11.8	10.4	16.9	White Letter	
								17.0	27.0	18.5	14.8	25.3	White Letter	
<b>Bias Slicks</b>			SOFT TO HARDER >											
<b>GT/GT1/GT2</b>		<b>PRICE</b>			<b>R250</b>		<b>Med</b>	<b>Hard</b>						
			<b>Hist</b>	<b>W.C.</b>				<b>1439</b>						
<b>27.0X11.0-15</b>	<b>255.00</b>								<b>10.0</b>	<b>27.2</b>	<b>13.5</b>	<b>11.5</b>	<b>25.0</b>	White Letter
<b>27.0X10.0-15</b>	<b>169.00</b>		<b>A.S.C.</b>					<b>2560</b>	<b>10.0</b>	<b>27.6</b>	<b>13.2</b>	<b>10.0</b>	<b>23.5</b>	Yellow Letter
					<b>R250</b>	<b>R430</b>								
<b>23.5X10.5-16</b>	<b>443.00</b>		<b>GT-2</b>			<b>1651</b>			<b>11.0</b>	<b>23.8</b>	<b>11.9</b>	<b>10.2</b>	<b>18.0</b>	Yellow Letter
<b>25.0X13.0-16</b>	<b>463.00</b>		<b>GT-1</b>		<b>1980</b>	<b>1570</b>			<b>12.0</b>	<b>24.5</b>	<b>13.7</b>	<b>12.4</b>	<b>22.5</b>	Yellow Letter
<b>27.0X14.0-16</b>	<b>492.00</b>		<b>GT-1</b>		<b>1981</b>	<b>1571</b>			<b>14.0</b>	<b>26.6</b>	<b>15.9</b>	<b>13.7</b>	<b>26.5</b>	Yellow Letter
<b>Slicks</b>			SOFT TO HARDER >											
<b>RADIAL SLICKS</b>		<b>PRICE</b>	<b>TYPE</b>			<b>R310</b>	<b>R430</b>		<b>RIM</b>	<b>DIA</b>	<b>SEC</b>	<b>T.W.</b>	<b>WT</b>	
<b>Group C</b>														
<b>25.5X12.5R18</b>	<b>492.00</b>		<b>DP/LMPI</b>			<b>4535</b>			<b>13.0</b>	<b>25.6</b>	<b>13.5</b>	<b>12.3</b>	<b>23.5</b>	Yellow Letter
<b>25.5/12.5R18</b>	<b>527.00</b>		<b>DP/LMPI</b>			<b>4575</b>			<b>13.5</b>	<b>25.6</b>	<b>14.3</b>	<b>12.8</b>	<b>24.0</b>	Yellow Letter
<b>28.5X14.5R18</b>	<b>543.00</b>		<b>DP/LMPI</b>			<b>4536</b>			<b>14.5</b>	<b>28.5</b>	<b>15.9</b>	<b>14.8</b>	<b>27.0</b>	Yellow Letter

