


MICHELIN PILOT SPORT CUP^{GT} H2 TIRE

QUICK REFERENCE GUIDE



- Improved warmup time and more forgiving handling characteristics*
- Increased peak performance*
- Spec tire for Apex One Endurance series

Size	Compound	MSPN	Tread Width, mm	Section Width, mm	Inflated Diameter, mm	Rolling Circumference, mm
30/65-18	H2	79759	289	304	651	2046
30/68/18	H2	26558	288	333	682	2141
31/71-18	H2	82980	307	353	712	2236

* Compared to the previous generation (Michelin Pilot Sport GT M).



To access the entire Michelin Motorsports catalog, scan the QR code.

For further questions please contact MNAMotorsport@Michelin.com

Copyright 2026 Michelin North America, Inc. All rights reserved. | 01-26 BWA



TECHNICAL RECOMMENDATIONS

- For identical hot pressure (running pressure), the **Michelin Pilot Sport Cup GT H2 tire needs 0.04 bar more pressure when cold** vs. our previous generation tire, the Michelin Pilot Sport GT M (S9M) tire.
- To run the same ride height vs. our previous generation tire, the Michelin Pilot Sport GT M (S9M) tire, you will need to **lower the front axle by -3mm and raise the back axle by +1mm**.
- To have the same car balance as the Michelin Pilot Sport GT M (S9M) tire, **the car's mechanical balance needs to be shifted from +0,5% to +1% on the rear for the Michelin Pilot Sport Cup GT H2 tire**. *Recommendation: Use Anti-Roll Bar adjustment.

GT3 APPLICATION

30/68-18

Michelin Pilot Sport Cup^{GT} H2 Tire

Usage	Track without banking
Max Load (static + dynamic) / Charge maxi	600 daN
Max speed / Vitesse maxi	198 mph / 320 km/h
Nominal rim / Jante nominale	18 / 12.5 (±0.5) J
Minimum cold pressure / Pression minimale à froid	18.9 psi / 1.3 bar
Stint length / Longuer du relais	118 mi / 190 km

Number of stints / Nombre de relais	Minimum hot pressure (psi / bar) / Pression mini à chaud					
Camber / Carrossage	26.1 / 1.8	27.6 / 1.9	29.0 / 2.0	30.5 / 2.1	31.9 / 2.2	33.4 / 2.3
-4.01°	0	0	0	0	0	0
-3.51° to -4.0°	0	0	1	1	1	1
-3.01° to -3.5°	0	1	1	1	1	1
From -2.0° to -3.0°	0	1	1	1	1	1

31/71-18

Michelin Pilot Sport Cup^{GT} H2 Tire

Usage	Track without banking
Max Load (static + dynamic) / Charge maxi	730 daN
Max speed / Vitesse maxi	198 mph / 320 km/h
Nominal rim / Jante nominale	18 / 13 (±0.5) J
Minimum cold pressure / Pression minimale à froid	18.9 psi / 1.3 bar
Stint length / Longuer du relais	118 mi / 190 km

Number of stints / Nombre de relais	Minimum hot pressure (psi / bar) / Pression mini à chaud					
Camber / Carrossage	26.1 / 1.8	27.6 / 1.9	29.0 / 2.0	30.5 / 2.1	31.9 / 2.2	33.4 / 2.3
-3.01°	0	0	0	0	0	0
-2.76° to -3.0°	0	1	1	1	1	1
-2.51° to -2.75°	0	1	1	1	1	1
From -2.0° to -2.5°	0	1	1	1	1	1

GT4 APPLICATION

30/65-18

Michelin Pilot Sport Cup ^{GT} H2 Tire	
Usage	Track without banking
Max Load (static + dynamic) / Charge maxi	600 daN
Max speed / Vitesse maxi	198 mph / 320 km/h
Nominal rim / Jante nominale	18 / 12 (-1/±0.5) J
Minimum cold pressure / Pression minimale à froid	18.9 psi / 1.3 bar
Stint length / Longuer du relais	112 mi / 180 km

Number of stints / Nombre de relais	Minimum hot pressure (psi / bar) / Pression mini à chaud					
	26.1 / 1.8	27.6 / 1.9	29.0 / 2.0	30.5 / 2.1	31.9 / 2.2	33.4 / 2.3
Camber / Carrossage						
-3.51°	0	0	0	0	0	0
-3.01° to -3.5°	0	0	0	1	1	1
From -2.0° to -3.0°	0	0	1	1	1	1

30/68-18

Michelin Pilot Sport Cup ^{GT} H2 Tire	
Usage	Track without banking
Max Load (static + dynamic) / Charge maxi	600 daN
Max speed / Vitesse maxi	198 mph / 320 km/h
Nominal rim / Jante nominale	18 / 12.5 (±0.5) J
Minimum cold pressure / Pression minimale à froid	18.9 psi / 1.3 bar
Stint length / Longuer du relais	118 mi / 190 km

Number of stints / Nombre de relais	Minimum hot pressure (psi / bar) / Pression mini à chaud					
	26.1 / 1.8	27.6 / 1.9	29.0 / 2.0	30.5 / 2.1	31.9 / 2.2	33.4 / 2.3
Camber / Carrossage						
-4.01°	0	0	0	0	0	0
-3.51° to -4.0°	0	0	1	1	1	1
-3.01° to -3.5°	0	1	1	1	1	1
From -2.0° to -3.0°	0	1	1	1	1	1

PORSCHE 992 CUP APPLICATION

30/65-18

Michelin Pilot Sport Cup ^{GT} H2 Tire	
Usage	Track without banking
Max Load (static + dynamic) / Charge maxi	600 daN
Max speed / Vitesse maxi	198 mph / 320 km/h
Nominal rim / Jante nominale	18 / 12 (-1/±0.5) J
Minimum cold pressure / Pression minimale à froid	18.9 psi / 1.3 bar
Stint length / Longuer du relais	112 mi / 180 km

Number of stints / Nombre de relais	Minimum hot pressure (psi / bar) / Pression mini à chaud					
	26.1 / 1.8	27.6 / 1.9	29.0 / 2.0	30.5 / 2.1	31.9 / 2.2	33.4 / 2.3
Camber / Carrossage						
-3.51°	0	0	0	0	0	0
-3.01° to -3.5°	0	1	1	1	1	1
From -2.0° to -3.0°	0	1	1	1	1	1

31/71-18

Michelin Pilot Sport Cup ^{GT} H2 Tire	
Usage	Track without banking
Max Load (static + dynamic) / Charge maxi	730 daN
Max speed / Vitesse maxi	198 mph / 320 km/h
Nominal rim / Jante nominale	18 / 13 (±0.5) J
Minimum cold pressure / Pression minimale à froid	18.9 psi / 1.3 bar
Stint length / Longuer du relais	118 mi / 190 km

Number of stints / Nombre de relais	Minimum hot pressure (psi / bar) / Pression mini à chaud					
	26.1 / 1.8	27.6 / 1.9	29.0 / 2.0	30.5 / 2.1	31.9 / 2.2	33.4 / 2.3
Camber / Carrossage						
-3.01°	0	0	0	0	0	0
-2.76° to -3.0°	0	1	1	1	1	1
-2.51° to -2.75°	0	1	1	1	1	1
From -2.0° to -2.5°	0	1	1	1	1	1